

1 **UK-TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
UKSI 2016:1107 (as amended) – Schedule 3A, Part 1**

3 UK-Type Examination Certificate Number: **SGS24UKEX0135X Issue 0**

4 Product: **DM2700 Tank Level Radar Measurement Equipment**

5 Held by: **Otodata Wireless Network Inc**

6 Address: **1180 Louvain O, Montreal, Quebec, H4N 1G5 Canada**

7 This product and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

8 SGS Baseefa (a division of SGS United Kingdom Limited), Approved Body number 1180, in accordance with Regulations 42 and 43 of the Equipment and Protective Systems Intended for Use in Potentially Explosive Atmospheres Regulations 2016, UKSI 2016:1107 (as amended), certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Schedule 1 of the Regulations.

The examination and test results are recorded in a confidential report identified in the revision table at item 20.

9 Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN IEC 60079-0: 2018 EN 60079-11: 2012

except in respect of those requirements listed at item 18 of the Schedule.

10 If the sign “X” is placed after the certificate number, it indicates that the product is subject to the Specific Conditions of Use specified in the schedule to this certificate.

11 This UK-TYPE EXAMINATION CERTIFICATE relates only to the design and construction of the specified product. Further requirements of the Regulations apply to the manufacturing process and supply of this product. These are not covered by this certificate.

12 The marking of the product shall include the following:

 **See Certificate Schedule**

SGS Customer Reference No. **8406**

Project File No. **24/0456**

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and the Supplementary Terms and Conditions accessible at <http://www.sgs.com/SGSBaseefa/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful, and offenders may be prosecuted to the fullest extent of the law.

SGS Baseefa

(a division of SGS United Kingdom Limited)

Rockhead Business Park, Staden Lane,


Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail sgs.buxton@sgs.com web site www.sgs.co.uk/sgsbaseefa

Registered in England No. 1193985

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN



D BREARLEY

LEAD CERTIFICATION ENGINEER
On behalf of SGS United Kingdom Limited

13

Schedule

14

Certificate Number SGS24UKEX0135X – Issue 0

15 Description of Product

The DM2700 Radar level measurement sensor uses high frequency radar pulses to determine the ullage distance (or headspace) in a tank, by measuring the time of flight from the bottom of the device to the surface of the liquid. The tank % full volume can be inferred from this figure. This sensor has Bluetooth communication module (BLE 5.0) module to provide for easier setup and activation via a cell phone iOS or Android application.

The DM2700 device is a moulded plastic enclosure with marking labels on the side and the top of the equipment. The DM2700 enclosure is provided with several fixing screws that join a base and cover together and encloses the electronics and the replaceable battery pack.

The DM2700 has a 2” threaded opening to allow it to be screwed into an opening of a tank in the traditional invasive way or can be used with an adaptor to allow sensing in a non-invasive manner.

Equipment Marking

The equipment may be marked with one of the following marking strings dependent on the target ambient temperature range that the equipment is to be used in:

⊕ II 1 G Ex ia IIB T4 Ga (-25 °C ≤ Tamb ≤ +50 °C)

⊕ II 1 G Ex ia IIB T4 Ga (-30 °C ≤ Tamb ≤ +50 °C)

16 Report Number

See Item 20 – Certificate History

17 Specific Conditions of Use

1. The plastic enclosure is a potential electrostatic hazard. Clean only with a damp cloth and do not mount in a high velocity dust laden atmosphere.
2. Batteries must be changed in a non-hazardous area or when the hazardous atmosphere is known not to be present.
3. The equipment must only be powered by battery packs supplied by Otodata Wireless Network Inc specifically those marked 4-5508 and carry the instruction to use on DM2700.

18 Essential Health and Safety Requirements

In addition to the Essential Health and Safety Requirements (EHSRs) covered by the standards listed at item 9, the following are considered relevant to this product, and conformity is demonstrated in the report:

Clause	Subject
13	LVD type requirements
14	Overloading of equipment (protection relays, etc.)
21 (1)	External effects
21 (2)	Aggressive substances, etc.

19 Drawings and Documents

Other than for Issue 0, Drawings and Documents that are introduced at a new edition of the certificate are marked with an asterisk symbol:

Number	Sheet	Issue	Date	Description
4-5508	1 of 1	01	27/11/2024	4-5508 DM2700 (TEK 880) EVE Battery Twin Pack – AA ER17505 Harness and Plug Otodata
9-6384	1 of 1	01	---	DM2700 (TEK 880) Otodata Ex Top Label
9-6387	1 of 1	01	---	DM2700 (TEK 880) Otodata Low Temp Ex Top Label
9-6385	1 of 1	01	---	DM2700 (TEK 880) Otodata Side Label

For reference to all other drawings describing the construction of the equipment refer to SGS24ATEX0134X.

20 Certificate History

Certificate No.	Date	Comments
SGS24UKEX0135X Issue 0	13 December 2024	Prime Certificate Report Number: GB/SGS/ExTR24.0201/00 Project Number: 24/0456 Original issue of the certificate.
For drawings applicable to each issue, see original of that issue.		